

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013






### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product Identifier**
- Trade name of designation  
of the mixture **Easy-flo High Temperature Grade Flux Paste**
- Synonyms None.
- Issue date 10 April 2013
- Version number 5
- 1.2 Relevant identified use of the substance or mixture advised against**
- Identified uses Brazing flux for use with low-temperature silver brazing type filler metals that have liquidus temperatures of less than 800°C.
- Uses advised against None known.
- 1.3 Details of the supplier of the safety data sheet**
- Company Metalli A/S  
Nyholms alle 46  
2610 Rødovre  
Denmark
- E-mail [info@metalli.dk](mailto:info@metalli.dk)
- Telephone number +45 3670 0544
- 1.4 Emergency telephone number +45 3670 0544**

### SECTION 2: Compositional information

#### 2.1 Mixtures

##### General information

| Substance                              | CAS No.    | EINECS No. | CLP- Classification   | % Concentration |
|--|------------|------------|---|-----------------|
| Potassium difluorodihydroxyborate (1-) | 85392-66-1 | 286-925-2  |  GHS07<br>H302   | 25 to 50        |
| Potassium tetraborate                  | 1332-77-0  | 215-575-5  |  GHS08, H360   | 10 to 25        |
| Potassium hydrogendifluoride           | 7789-29-9  | 232-156-2  |  GHS06<br>H302  GHS05<br>H312 | < 1             |
| Boric acid                             | 10043-35-3 | 233-139-2  |  GHS08, H360   | < 5             |

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

### Composition comments

The full text for all R-phrases is displayed in Section 16. All concentrations are in percent by weight unless ingredient is a gas.

### Additional information

This product contains a substance listed on the list of candidate substances according to the article 59 of the Regulation n. 1907/2006("REACH") at a concentration  $\geq 0.1\%$  by weight.

## SECTION 3: Hazards Identification

### 3.1 Classification of the substance or mixture

#### Classification according to Directive 67/548/EEC or 1999/45/EC as amended

**Classification** Xn; R22, R62, R63

#### Hazard Summary

**Physical hazards** Not classified for physical hazards.

**Health hazards** As supplied, the product is harmful by ingestion, and will be irritating to the eyes. Skin contact may cause moderate irritation. If the skin is broken immediate irritation will occur on contact.

**Environmental hazards** Not classified for hazards to the environment.

**Specific hazards** The main hazards associated with this product arise when it is used as a brazing flux. On heating it will fume slightly and with overheating the flux fume will increase. The fumes produced may include hydrogen fluoride and boron trifluoride, which can cause irritation of the nasal passages, eyes and throat.

To minimize the evolution of flux fume always use the product with brazing filler metals that have liquidus temperatures of no greater than 750°C.

**Main symptoms** Sensitisation. Irritation of nose and throat. Irritation of eyes and mucous membranes.

#### Label elements

#### Label according to Directive 67/548/EEC or 1999/45/EC as amended



**Warning**

**R-Phrases**

**R22**

**Harmful if swallowed**

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

|                  |                      |   |
|------------------|----------------------|---|
|                  | <b>R62</b>           | <b>Possible risk of impaired fertility</b>  |
| <b>R-Phrases</b> | <b>R22</b>           | <b>Harmful if swallowed</b>   |
|                  | <b>R62</b>           | <b>Possible risk of impaired fertility</b>  |
|                  | <b>R63</b>           | <b>Possible risk of harm to the unborn child</b>  |
| <b>S-Phrases</b> | <b>S23</b>           | <b>Do not breathe fumes</b>   |
|                  | <b>S29</b>           | <b>Do not empty into drains</b>   |
| <b>3.3</b>       | <b>Other hazards</b> | Not a PBT or vPvB substance or mixture.<br>Presence of Substances of Very High Concern (SVHCs) according to REACh regulation terms. |

### SECTION 4: First aid measures

#### General information

Get medical attention if any discomfort develops. Seek medical attention for all burns, regardless of how minor they may seem. Show this safety data sheet to the doctor in attendance.

#### 4.1 Description of first aid measures

##### Inhalation

Remove from source of exposure and allow to rest in fresh air. In acute cases apply artificial respiration and if necessary summon medical aid.

##### Skin contact

Remove any contaminated clothing and wash skin immediately with soap and water. Seek medical attention if sores develop. Launder clothing before re-use.

##### Eye contact

Irrigate with water or isotonic saline for up to 20 minutes. Seek medical attention if there is any hint of eye damage.

##### Ingestion

Rinse mouth water & give patient water or milk mixed with calcium carbonate (chalk) to drink. Do not induce vomiting. Summon medical aid.

#### 4.2 Most important symptoms and effects, both acute and delayed

In acute cases there is a danger of pulmonary oedema although this occurrence could also result from inhalation of brazing filler metal fume or torch gases.

Inhalation of the fume will be irritating to the nose and throat and will cause smarting of the eyes.

The product is toxic by ingestion, and will be irritating to the eyes.

Skin contact may cause moderate irritation.

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No specific antidote.

## SECTION 5: Fire fighting measures

**General fire hazards** Non-flammable

### 5.1 Extinguishing media

**Suitable extinguishing media** CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**Unsuitable extinguishing media** Not applicable.

### 5.2 Special hazards arising from the substance or mixture

Hydrogen fluoride (HF).

### 5.3 Advice for fire-fighters

**Special protective equipment for fire-fighters**

Use full protection with breathing apparatus if involved in a fire as harmful fumes may be evolved.

**Special fire fighting procedures** Not applicable.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel**

Avoid contact with skin or eyes.

Use personal equipment during clean-up operation, gloves, eye protection etc. as considered appropriate to the size and nature of the release. Do not inhale dust.

**For emergency responders**

Not applicable.

### 6.2 Environmental precautions

If product is likely to enter watercourse or sewerage system, inform necessary authorities. Product should be prevented from entering sewers, drainage systems and surface or groundwater. Dispose of all collected product / absorbent material as directed in Section 13.

### 6.3 Methods and material for Containment and cleaning up

Scrape up as much of the spill as possible and place collected product into a suitable container for disposal. Wash contaminated area with soap and water mop up as much as is possible.

Use absorbent material to mop up remaining diluted product. Place mopped up product and any absorbent material into a suitable container for disposal.

### 6.4 Reference to other sections

For safe handling see section 7.

For personal protection, see section 8.

For waste disposal, see section 13.

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Use only under conditions of good local ventilation or efficient extraction systems and do not inhale fumes evolved during use.

Avoid contact with skin and eyes. Do not eat, drink, smoke or apply cosmetics whilst using these materials. Keep away from food, drink and animal feed stuffs and out of reach of children.

Wash hands with soap and water following skin contact with the product and wash hands with soap and water after handling the product even if no direct

Skin contact has occurred. Observe good industrial hygiene practices.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry place. Keep container closed when not in use. Do not freeze.

#### 7.3 Specific end use(s)

No further relevant information available.

### SECTION: 8 Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational exposure limits

| Element  | Long term (8 Hour) TWA Value          | Short term ( 15 mins) TWA Value |
|--|---------------------------------------|---------------------------------|
| Potassium hydrogendifluoride (10-25%)<br>(CAS 7789-29-9) | 2.5 mg / m <sup>3</sup> (as fluorine) | –                               |

TWA = Time weighted average

#### Biological limit values

No biological exposure limits for the ingredient(s).

#### Recommended monitoring procedures

Follow standard monitoring procedures.

#### 8.2 Exposure controls

##### Appropriate engineering controls

Avoid exposure to fume by using good natural ventilation or local exhaust extraction. Local exhaust extraction systems should be tested for effectiveness to ensure adequate capture of the fume on initial installation and then checked on a regular basis to confirm on-going effectiveness.

##### Individual protection measures, such as personal protective equipment

###### General information

If risk of inhalation exists, personal respiratory protection should be worn.

###### Eye/face protection

If it is recommended that safety glasses are worn when handling or using this product for brazing.

###### Skin protection

###### - Hand protection

Where regular, on-going skin contact with the product cannot be avoided suitable gloves should be worn. Seek advice from gloves supplier to most

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

suitable type of gloves to protect against this type of product. Show gloves supplier this Safety Data Sheet.

In cases where skin contact with the product may occur on an irregular basis the use of barrier creams will help to prevent skin irritation in such circumstances. Suitable gloves should also be worn where the nature of the brazing operation may result in hand contact with the molten flux or brazing filler metal to protect against burns.

### - Other

None

### Respiratory protection

If risk of inhalation exists, personal respiratory should be worn.

### Thermal hazards

On heating product will fume slightly and with overheating the flux fumes will increase. The fumes produced may include hydrogen fluoride and boron trifluoride, which can cause irritation of the nasal passages, eyes and throat.

### Hygiene measures

Wash hands after using these products.

### Environmental exposure controls

See section 6.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|   |  |
|---|--|
| <b>Appearance</b>                                   | White pasta.                                 |
| <b>Physical state</b>                               | Liquid                                       |
| <b>Form</b>   | Pasta  |
| <b>Colour</b>                                       | White  |
| <b>Odour</b>  | No detectable odour                          |
| <b>Odour threshold</b>                              | Not determined                               |
| <b>pH</b>   | Not determined                               |
| <b>Melting point/freezing point</b>                 | 100°C boiling point of water                 |
| <b>Initial boiling point and boiling range</b>      | Not determined                               |
| <b>Flash point</b>                                  | Not determined                               |
| <b>Evaporation rate</b>                             | Not determined                               |
| <b>Flammability (Solid, gas)</b>                    | Not determined                               |
| <b>Upper/lower flammability or explosive limits</b> |  |
| <b>Flammability limit – lower (%)</b>               | Not determined                               |
| <b>Flammability limit – upper (%)</b>               | Not determined                               |
| <b>Vapour pressure</b>                              | 23 hPa.                                      |
| <b>Vapour density</b>                               | Not determined                               |
| <b>Relative density</b>                             | Not determined                               |
| <b>Solubility</b>                                   | Slightly soluble                             |
| <b>Partition coefficient (n-octanol/water)</b>      | Not determined                               |
| <b>Decomposition temperature</b>                    | Not determined                               |
| <b>Viscosity</b>                                    | Not applicable                               |
| <b>Explosive properties</b>                         | Product does not present an explosion hazard |

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

|     |                             |   |
|-----|-----------------------------|---|
|     | <b>Oxidizing properties</b> | Not determined                            |
| 9.2 | <b>Other information</b>    | No further relevant information available |
|     | <b>Bulk density</b>         | Not applicable                            |
|     | <b>VOC (Weight %)</b>       | Not applicable                            |

### SECTION 10: Stability and reactivity

|      |   |  |
|------|---|--|
| 10.1 | <b>Reactivity</b>                       | Product is stable, but being an aqueous paste, water can be lost due to evaporation and the product can increase in viscosity and eventually become a hard mass. |
| 10.2 | <b>Chemical stability</b>               | Stable at normal conditions.   |
| 10.3 | <b>Possibility of hazardous</b>         | Avoid contact with acids and strong oxidizing agents   |
|      | <b>Hazardous decomposition products</b> | Hydrogen fluoride  |
| 10.4 | <b>Conditions to avoid</b>              | Avoid contact with acids and strong oxidizing agents.  |
| 10.5 | <b>Incompatible materials</b>           | Avoid contact with acids and strong oxidizing agents.  |

### SECTION 11: Toxicological information

|      |   |   |
|------|---|---|
|      | <b>General information</b>                      | Occupational exposure to the substance or mixture may cause adverse effects.  |
|      | <b>Information on likely routes of exposure</b> |   |
|      | <b>Ingestion</b>                                | Ingestion may cause irritation and malaise.   |
|      | <b>Inhalation</b>                               | Fumes inhaled may include hydrogen fluoride and boron trifluoride, which can cause irritation of the nasal passages, eyes and throat.   |
|      | <b>Skin contact</b>                             | Skin contact may cause moderate irritation. If the skin is broken, immediate irritation will occur on contact.  |
|      | <b>Eye contact</b>                              | Not likely given nature of product.   |
|      | <b>Symptoms</b>                                 | Sensitisation. Irritation of nose and throat. Irritation of eyes and mucous membranes.  |
| 11.1 | <b>Information on toxicological effects</b>     | Potassium tetraborate has been classified a reproductive toxin category 3, Repr. Cat3. and presents possible risks of impaired fertility and risks of harm to the unborn child. |

| Values relevant for classification: | Test              | Result         |
|-------------------------------------|-------------------|----------------|
|                                     | LD50 (oral - rat) | 300-3000 mg/kg |

| Individual elements                      | Test              | Result          |
|--|-------------------|-----------------|
| Potassium tetraborate<br>(CAS 1332-77-0) | LD50 (oral - rat) | 3500-4100 mg/kg |

**Acute toxicity** Not classified.

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

|                                  |  |
|----------------------------------|--|
| <b>Skin corrosion/irritation</b> | Not classified.  |
| <b>Respiratory sensitization</b> | When heated, the vapours/fumes given off may cause respiratory tract irritation.   |
| <b>Skin sensitisation</b>        | Not classified.  |
| <b>Germ cell mutagenicity</b>    | No test data available for the product.  |
| <b>Carcigenicity</b>             | Risk of cancer cannot be excluded with prolonged exposure. Potassium tetraborate has been classified a reproductive toxin category 3, Repr. Cat 3. and presents possible risks of impaired fertility and risks of ham to the unborn child. |
| <b>Reproductive toxicity</b>     | Possible risk of impaired fertility.<br>Possible risk of harm to the unborn child.<br>Limited evidence of a carcinogenic effect.   |

### IARC Monographs. Overall Evaluation of Carcinogenicity

|   |  |
|---|--|
| Not classified  | According to <a href="http://monographs.irc.fr/ENG/Classification/index.php">http://monographs.irc.fr/ENG/Classification/index.php</a> accessed 08.04.2013 |
| <b>Specific target organ toxicity – single Exposure</b>   | Not applicable.  |
| <b>Specific target organ toxicity – Repeated exposure</b> | Not applicable   |
| <b>Aspiration hazard</b>                                  | Not applicable   |
| <b>Mixture versus substance Information</b>               | Not applicable   |
| <b>Other information</b>                                  | None.  |

## SECTION 12: Ecological information

### 12.1 Toxicity Potassium tetraborate:

| Component              | Test       | Method   | test results |
|------------------------|------------|--|--------------|
| Protassium tetraborate | CL50       | Daphnia (en bore (B) 48h daphnia magna straus) | 133 mg/l     |
| Protassium tetraborate | CL50 / 96h | Fish (en bore (B) -limanda limanda)            | 40 mg/l      |

|  |   |
|--|---|
| <b>12.2 Persistence and degradability</b>              | No further relevant information available.  |
| <b>12.3 Bioaccumulative potential</b>                  | No further relevant information available.  |
| <b>Partition coefficient n-octanol/water (log Kow)</b> | No further relevant information available.  |
| <b>Bioconcentration factor (BCF)</b>                   | Unknown.  |
| <b>12.4 Mobility in soil</b>                           |   |
| <b>Mobility in general</b>                             | No further relevant information available.  |
| <b>12.5 Results of PBT and vPvB Assessment</b>         | Unknown.  |
| <b>12.6 Other adverse effects</b>                      | Water hazard class 1 (German Regulation) (Self-assessment): slightly Hazardous for water. |



# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

### SECTION 13: Disposal considerations

|             |                                     |  |
|-------------|-------------------------------------|--|
| <b>13.1</b> | <b>Water treatment method</b>       |  |
|             | <b>Residual waste</b>               | Dispose according to local and national regulations. Registered waste Contractors should be aware of the composition and data given in section 2 of this document. |
|             | <b>Contaminated packaging</b>       | Not applicable   |
|             | <b>EU waste code</b>                | Not applicable.  |
|             | <b>Disposal methods/information</b> | Dispose according to local national regulations. Registered waste contractors should be aware of the composition and data given in section 2 of this document.     |

### SECTION 14: Transport information

#### Land transport ADR/RID (cross-border)



|             |                                     |  |
|-------------|-------------------------------------|--|
| <b>14.1</b> | <b>UN number</b>                    | 3287   |
| <b>14.2</b> | <b>UN proper shipping name</b>      | UN3287, TOXIC LIQUID, INORGANIC N.O.S. (fluoborates), 6.1, III |
| <b>14.3</b> | <b>Transport hazard class(es)</b>   | 6.1 Toxic substances   |
| <b>14.4</b> | <b>Packing group</b>                | III  |
| <b>14.5</b> | <b>Environmental hazards</b>        | Not applicable.  |
|             | <b>Tunnel restriction code</b>      | E  |
|             | <b>Labels required</b>              | 6.1  |
| <b>14.6</b> | <b>Special precautions for user</b> | Warning: Toxic substances.                                     |

#### Maritime transport IMDG




|             |                                   |  |
|-------------|-----------------------------------|--|
| <b>14.1</b> | <b>UN number</b>                  | 3287   |
| <b>14.2</b> | <b>UN proper shipping name</b>    | UN3287, TOXIC LIQUID, INORGANIC N.O.S. (fluoborates), 6.1, III |
| <b>14.3</b> | <b>Transport hazard class(es)</b> | 6.1 Toxic substances   |
| <b>14.4</b> | <b>Packing group</b>              | III  |
| <b>14.5</b> | <b>Environmental hazards</b>      | Not applicable.  |
|             | <b>Marine pollutant</b>           | No   |
|             | <b>Labels required</b>            | 6.1  |
|             | <b>EmS No.</b>                    | Not applicable.  |

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

|   |   |  |
|---|---|--|
| 14.6  | <b>Special precautions for user</b>   | Warning: Toxic substances.                                     |
| 14.7  | <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> | Not applicable.  |
| <b>Air transport ICAO-TI and IATA-DGR</b>   |   |  |
|  |   |  |
| 14.1  | <b>UN number</b>  | 3287   |
| 14.2  | <b>UN proper shipping name</b>  | UN3287, TOXIC LIQUID, INORGANIC N.O.S. (fluoborates), 6.1, III |
| 14.3  | <b>Transport hazard class(es)</b>   | 6.1 Toxic substances   |
| 14.4  | <b>Packing group</b>  | III  |
| 14.5  | <b>Environmental hazards</b>  | Not applicable.  |
|   | <b>Labels required</b>  | 6.1  |
|   | <b>ERG Code</b>   | None.  |
| 14.6  | <b>special precautions for user</b>   | Warning: Toxic substances.                                     |

### SECTION 15: Regulatory information

|      |  |  |
|------|--|--|
| 15.1 | <b>Safety, health and environmental regulation specific for the substance or mixture</b> |  |
|      | <b>EU Regulations</b>  | Article 57 of Regulation (EC) No 1907/2006 ("REACH").  |
|      | <b>Substances of very high concern (SVHC) according to REACH article 57:</b>             |  |
|      |  | Boric acid (CAS 10043-35-3)  |
|      | <b>Authorisations</b>  | Not regulated.   |
|      | <b>Restrictions on use</b>   | No. restrictions on use.   |
|      | <b>Other EU regulations</b>  | Not regulated.   |
|      | <b>Other regulations</b>   | The product is classified and labeled in accordance with Regulation (EC) 1272/2008 (CLP regulation) as amended and respective national laws implementing EC directives. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. |
|      | <b>National regulations</b>  | Not listed.  |
| 15.2 | <b>Chemical safety assessment</b>  | No Chemical Safety Assessment has been carried out.  |

### SECTION 16: Other information

|   |        |  |
|---|--------|--|
| <b>List of abbreviations</b>              | PBT:   | Persistent, bioaccumulative and toxic.                             |
|   | vPvB:  | Very Persistent and very Bioaccumulative                           |
|   | REACH: | Registration, Evaluation, Authorisation & restriction of Chemicals |
|   | SVHC:  | Substances of Very High Concern                                    |
| <b>References</b>                         | ESIS:  | European chemical Substances information System                    |
|   | IRAC:  | International Agency for Research on Cancer                        |
| <b>Full text of any statements or R/S</b> | R22    | Harmful if swallowed   |
| <b>Phrases used in sections 2 to</b>      | R25    | Toxic if swallowed   |

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

15

|           |  |
|-----------|--|
| R34       | Causes burns   |
| R60       | May impair fertility   |
| R61       | May cause harm to the unborn child   |
| R62       | Possible risk of impaired fertility  |
| R63       | Possible risk of harm to the unborn child  |
| S20       | When using do not eat or drink   |
| S26       | In case of eye contact, rinse immediately with water and seek medical advice                               |
| S36/37/39 | Wear suitable protective clothing, gloves and eye/face protection  |
| S45       | In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) |
| S60       | This material and its container must be disposed of as hazardous waste                                     |

### Training information

Training given should be followed when using this material

### Other information

When assessing the risks of using this product a complete assessment of the risks can only be made in conjunction with the SDS for the brazing filler metal and taking into account any hazards associated with the brazing process, such as the gases given off from any torch flames.

### Former occupational Exposure limits EH40/2004

| Element                               | Long term (8 hour) TWA Value | Short term (15 minutes) TWA Value |
|---------------------------------------|------------------------------|-----------------------------------|
| Boron trifluoride (CAS No. 7637-07-2) | -                            | 2.8 mg/m <sup>3</sup>             |

TWA = Time weighted average

### REACH Substance of very High Concern.

Boric acid CAS No. 10043-35-3 is used as an ingredient in the manufacture of this flux, but undergoes reaction with other substances during manufacture of the product, which results in the formation of the potassium difluorodihydroxyborate (-1) compound. While the boric acid should be completely reacted away during the manufacturing process the possibility of some residue of unreacted boric acid being present in the product cannot be excluded above the 0.1%SVHC limit. In addition, the product is manufactured in a facility where both boric acid CAS No. 10043-35-3 and sodium tetraborate CAS No. 1303-96-4 are used in the manufacture of brazing fluxes, and therefore the possibility of cross contamination to a level above the maximum impurity level for both substances of 0.1% cannot be excluded.

### Disclaimer

This information relates only to the specific material designated and may be valid for such material used in combination with any other materials or in any process. Such information is given in good faith, being based on the latest information available to Metalli PLC and is to the best of Metalli PLC's knowledge and belief, accurate and reliable at the

# METALLI

## SAFETY DATASHEET – EASY-FLO HIGH TEMPERATURE GRADE FLUX PASTE

@ Copyright, Metalli as 2013

---

time of preparation. However, no representation, warranty or guarantee is made as to the accuracy, Liability or completeness and Metalli PLC damage or injury howsoever arising (including in respect of any claim brought by any third party) incurred using this information. The product is supplied on the condition that the end user accepts responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. Freedom from patent or any other proprietary rights of any third party must not be assumed.

### Liability

Copyright: Information and images contained on printed or electronic media or stored within web pages published by Metalli Public Limited Company are copyright and the property of Metalli. Metalli authorizes you copy printed or electronic SDS documents either for non-commercial use or to support sales of genuine Metalli Metal joining products. Any such copy shall retain all copyrights and other proprietary notices, and any disclaimer contained thereon. Please note that none of the content of these documents or web pages may be incorporated into, reproduced on or stored in any other publication, whether in hard copy or electronic form. You may not, without our permission, 'mirror' this information in your own documents, on a website, or modify or re-use text. Trademarks: The Metalli logo, the Metalli name and all product names referred to in printed or electronic documents or on pages published by Metalli are trademarks of the Metalli Group of companies.